



” Suite


Marble emotion






“

The beauty of feeling at home



Arabesque



Statue



Ice

“

The noble tradition of marble

Four of the most elegant and precious marbles in the world:
ARABESQUE, ICE and STATUE.
The noble tradition of marble and the refined italian “Art of Living”
merged together to give an outstanding performance to a superior quality porcelain stoneware..

SIZES




18"x18"
45.2x45.2 cm



12"x24"
30x60.4 cm



12"x12"
30x30 cm



4"x12"
10x30 cm

FINISHES

Natural



“



”

FLOOR Statue 12"x12"
WALL Statue 12"x24"_Chair Rail Statue 2"x12"






FLOOR Statue 12"x12"





Statue


SIZES



18"x18"
45.2x45.2 cm
± 9 mm



12"x24"
30x60.4 cm
± 9 mm




12"x12"
30x30 cm
± 9 mm



4"x12"
10x30 cm
± 9 mm

DECOS



MOSAIC
12"x12"
30x30 cm
± 9 mm

TRIM PIECES



CHAIR RAIL CORNER
2"x3/4"
5x2 cm



CHAIR RAIL
2"x12"
5x30 cm



BULLNOSE
3 1/8"x12"
8x30 cm

“



”

FLOOR Arabesque 18"x18"
WALL Arabesque 4"x12"_Mosaic Arabesque 12"x12"





FLOOR Arabesque 12"x12"






Arabesque


SIZES




18"x18"
45.2x45.2 cm
± 9 mm



12"x24"
30x60.4 cm
± 9 mm




12"x12"
30x30 cm
± 9 mm



4"x12"
10x30 cm
± 9 mm

DECOS



MOSAIC
12"x12"
30x30 cm
± 9 mm

TRIM PIECES



CHAIR RAIL CORNER
2"x3/4"
5x2 cm



CHAIR RAIL
2"x12"
5x30 cm



BULLNOSE
3 1/8"x12"
8x30 cm



“



”

FLOOR Ice 12"x24"
WALL Ice 4"x12"

“



”

FLOOR Ice 12"x12"





Ice


SIZES




18"x18"
45.2x45.2 cm
± 9 mm



12"x24"
30x60.4 cm
± 9 mm




12"x12"
30x30 cm
± 9 mm



4"x12"
10x30 cm
± 9 mm

DECOS



MOSAIC
12"x12"
30x30 cm
± 9 mm

TRIM PIECES



CHAIR RAIL CORNER
2"x3/4"
5x2 cm



CHAIR RAIL
2"x12"
5x30 cm



BULLNOSE
3 1/8"x12"
8x30 cm

4"X12" HERRINGBONE TILE PATTERN

Arabesque



Suite




Ice



Diagonal Herringbone Template

Arabesque



Suite



Ice
















90 Degree Herringbone Template

PACKINGS AND WEIGHTS

SIZES	SF / CTN	LINEAR FT / CTN	PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET
18"x18"- 45.2x45.2 cm	15.61	-	7	32	499.43	2,186.88	68.34
12"x24" - 30x60.4	15.82	-	8	32	506.24	2,130.56	66.58
12"x12" - 30x30 cm	10.87	-	11	64	695.68	3,104	48.50
4"x12" - 10x30 cm	6.67	-	20	80	533.60	2,380.8	29.76
MOSAIC 25 PCS 12"x12" - 30x30 cm	3.87	-	4	90	348.30	1,487.7	16.53
BULLNOSE 3 1/8"x12" - 8x30 cm	5.17	19.68	20	112	579.04	2,222.08	19.84
CHAIR RAIL 2"x12" - 5x30 cm	1.94	-	12	-	-	-	-
CHAIR RAIL CORNER 2"x3/4" - 5x2 cm	-	-	10	-	-	-	-

TECHNICAL FEATURES

Coloured-body glazed stoneware _ According to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

TECHNICAL FEATURES	TEST METHOD	REQUIRED VALUES - ANSI A137.1	SUITE AVERAGE VALUES
 WATER ABSORPTION	ASTM C373	≤ 0.5%	CONFORMS
 BREAKING STRENGTH	ASTM C648	≥ 250 lbf	425 lbf 10 mm
 SURFACE ABRASION RESISTANCE	ASTM C1027	AS INDICATED BY MANUFACTURER	PEI 5
 LINEAR THERMAL EXPANSION	ASTM C372	NO PROVISION	$\alpha \leq 8 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$ $\alpha \leq 4.4 \times 10^{-6} \text{ }^{\circ}\text{F}^{-1}$
 STAIN RESISTANCE	ASTM C1378	AS INDICATED BY MANUFACTURER	A RESISTANT
 CHEMICAL RESISTANCE	ASTM C650	AS INDICATED BY MANUFACTURER	A RESISTANT (*)
 FROST RESISTANCE	ASTM C1026	AS INDICATED BY MANUFACTURER	RESISTANT
 BOND STRENGHT	ASTM C482	≥ 50 PSI	CONFORMS
 SHADE VARIATION	ANSI A137.1	AS INDICATED BY MANUFACTURER	V2 Slight variation
 FLAME SPREAD	ASTM E84	-	Class A
 THERMAL CONDUCTIVITY	EN 12524	-	$\lambda = 1,3 \text{ W/m }^{\circ}\text{K} / 0.7 \text{ BTU/ft h }^{\circ}\text{F}$
 RECOMMENDED MINIMUM JOINT	NOT RECT	-	3-4 mm APPROX (Indoor)
 THICKNESS	ALL SIZES	-	9 mm


(*) Excluding hydrofluoric acid and its derivatives

CERTIFICATIONS




Product designed in Italy


PANARIA SUITE SERIES AND THE ENVIRONMENT




100% REUSE OF UNFIRED TILES
Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.




100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES
The waste-fired tiles are fully reused in the production cycle.
In addition, at the end of life, the Panaria tiles can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.




100% WATER RECYCLING
The water used in the production process is 100% recycled.
The water demand is strongly reduced by this mean.
No industrial water is discharged in the ecosystem.




PANARIA PACKING MATERIAL IS 100% RECYCLABLE
(carton boxes, plastic packaging materials, wooden pallets, straps, etc.).




LOW EMISSIONS IN THE ATMOSPHERE
Panaria production plant strictly complies to US Standards with a very small amount of gas emissions in the atmosphere.



SAFETY REQUIREMENTS: NO FIRE REACTION
All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84 - Standard Test Method for Surface Burning Characteristics of Building Materials.
This is due to the flame spread rating of (O) and smoke developed rating of (O) falling within the ranges of a Class A material. Other building codes refer to this as a Type I material in accordance with NFPA 255.



METHANE CONSUMPTION IS HIGHLY REDUCED
By the use of up to date technologies and customized installations.



100% OF NON CERAMIC WASTE
Is differentiated and recycled in other production cycles.



Follow us on



”



Via Panaria Bassa, 22/a
41034 Finale Emilia (Modena) - Italy
Tel. +39 0535 95111 - Fax +39 0535 90503
info@panaria.it - www.panaria.it